## **Bond Accelerator 4000**

HMIS			
HEALTH 1			
FLAMMABILITY 0			
PERSONAL PROTECTION B			
1. Product And Company Identification			
<u>Supplier</u> JAMO 8850 NW 79 AVE. MIAMI, FL 33166 USA	<u>Manufacturer</u> CUSTOM BUILDING PRODUCTS 10400 Pioneer Blvd., Unit #3 Santa Fe Springs, CA 90670 UNITED STATES		
Company Contact: GEORGE MARCINA Telephone Number: (562)968-2980 ex 103 FAX Number: (562)903-2697 E-Mail: georgem@cbpmail.net Web Site: JAMOINC.COM	Company Contact: GEORGE MARCINA Telephone Number: (562) 968-2980 Ext 103 FAX Number: (562) 903-2697 E-Mail: georgem@cbpmail.net Web Site: www.custombuildingproducts.com		
<u>Supplier Emergency Contacts &amp; Phone Number</u> George Marcina: (562) 968-2980 ext 103	Manufacturer Emergency Contacts & Phone Number GEORGE MARCINA: (562) 968-2980		
Issue Date: 11/07/2006			
Product Name: Bond Accelerator 4000 CAS Number: Not Established Chemical Formula: Mixture MSDS Number: 769 Product Code: 3351			
2. Composition/Information On Ingredients			
Ingredient Name		Percent Of TotalWeight	
BUTADIENESTYRENE COPOLYMER		sh 5 - 15	
CALCIUM CHLORIDE 10043-52-4		-4 10 - 20	
3. Hazards Identification Primary Routes(s) Of Entry Eye , Skin Contact, Inhalation and Ingestion. Eye Hazards			
Will cause eye irritation. May cause eye injury.       Skin Hazards       May cause skin irritation.			
Ingestion Hazards Harmful if swallowed. May cause gastrointestinal irritation, nausea and vomiting.			
Inhalation Hazards May cause nose, throat, and lung irritation.			
Chronic/Carcinogenicity Effects May contain traces of chemicals listed on California Prop 65			

## Bond Accelerator 4000

## 3. Hazards Identification - Continued Conditions Aggravated By Overexposure May cause eye and skin irritation. May cause nose, throat and lung irritation. May cause gastronomic disturbances. 4. First Aid Measures <u>Eye</u> Gently blot or wipe any residue remaining on the face, being careful not to get it in the victim's eyes or on skin. Hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately. Skin Remove excess from the skin. Wash skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Thoroughly clean before reuse. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists. Ingestion If swallowed, do not induce vomiting unless directed to do so by medical personnel. If victim is fully conscious, give one or two cups of water to dilute the effects. Get medical attention immediately. If there is any discomfort from ingestion, consult a physician. Inhalation If inhaled, remove to fresh air. Get medical attention immediately. 5. Fire Fighting Measures Flash Point: NONE °F Flash Point Method: NONE Lower Explosive Limit: N/A Upper Explosive Limit: N/A Fire And Explosion Hazards Material will not burn until all water has evaporated. Cans may burst open and splatter material if temperatures reach 212 deg F and above. Extinguishing Media Foam, CO2, Dry chemical, Water fog. **Fire Fighting Instructions** Firefighters should wear self-contained breathing apparatus and full protective gear. 6. Accidental Release Measures Clean up spill immediately. Cover with absorbent to contain. Collect and dispose. Use appropriate containers to avoid environmental contamination. Avoid runoff to waterways and sewers. Avoid release to the environment. Use appropriate personal protective equipment (PPE). 7. Handling And Storage Handling And Storage Precautions Store in cool, dry areas away from sunlight, heat and heat sources. Protect from freezing. Work/Hygienic Practices Wash thoroughly with soap and water after handling. Use good personal hygiene. Observe good housekeeping practices. Page 2 of 4

## **Bond Accelerator 4000**

8. Exposure Controls/Personal Protection
Eye/Face Protection Safety glasses with side shields or goggles recommended.
Skin Protection Chemical-resistant gloves.
Respiratory Protection General room ventilation is normally adequate. In case of inadequate ventilation, use NIOSH-approved respirator.
Other/General Protection General ventilation is usually sufficient. Fan or other device maybe needed if used in small and enclosed areas. Adequate clothing to prevent skin contact.
9. Physical And Chemical Properties
Appearance White liquid.
Odor Mild SBR odor.
Chemical Type: Mixture Physical State: Liquid Boiling Point: 212 °F 100 °C Specific Gravity: 1.1 Percent VOCs: 0 Vapor Density: HEAVIER THAN AIR pH Factor: 8 Solubility: Dilutable in water Viscosity: Water like Evaporation Rate: Slower than ether
10. Stability And Reactivity
Stability: Stable Hazardous Polymerization: Will not occur
Conditions To Avoid (Stability) Protect from freezing.
Incompatible Materials Avoid contact with strong oxidizers.
Hazardous Decomposition Products Thermal decomposition in air may result in carbon monoxide and / or carbon dioxide.
Conditions To Avoid (Polymerization) Hazardous polymerization will not occur. Heat may cause pressure build-up in closed containers
11. Toxicological Information
Chronic/Carcinogenicity May contain traces of chemicals listed on California Prop 65.

### 12. Ecological Information

No Data Available...

### **Bond Accelerator 4000**

### 13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations and industry standards.

### **RCRA Information**

Not considered RCRA waste

### 14. Transport Information

DOT Shipping Label

Not Regulated

### 15. Regulatory Information

### Ingredient(s) - State Regulations

BUTADIENE STYRENE COPOLYMER California - Proposition 65

### 16. Other Information

HMIS Rating Health: 1 Fire: 0 Reactivity: 0 Personal Protection: B

Revision/Preparer Information MSDS Preparer: GEORGE MARCINA MSDS Preparer Phone Number: (562) 968-2980 ext 103

This MSDS Supersedes A Previous MSDS Dated: 10/05/2006

#### Disclaimer

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.

JAMO

Printed Using MSDS Generator™ 2000